

TECHNICAL DATASHEET

8326 // RED WAVE

Material:	Nitrile, red
Coating:	-
Size(s):	XS-XL
Packaging unit:	1,000 pieces
Certification:	EN ISO 374



ISO 374-1:2016/Type B ISO 374-5:2016



Description

NITRAS RED WAVE, nitrile disposable gloves, red, non-sterile, rolled edge, powder-free, manufactured according to EN 455, for food contact, ambidextrous, medical examination gloves, micro-roughened fingertips, colour code system for sizes, AQL 1.5, 10 boxes, 100 pieces each

	Material	Colour
Palm	Nitrile	Red
Index finger and thumb	Nitrile	Red
Back of the hand	Nitrile	Red
Fingertips	Nitrile	Red
Cuff / knitted wrist	Nitrile	Red

Thickness (approx.)	mm
Finger	0,10 ± 0,02
Palm	0,08 ± 0,02
Cuff	0,07 ± 0,02

EN 420:2003 + A1:2009	Testing parameter	Performance level	Result
	Dexterity	1-5	5
 JKT	Testing parameter	Performance level	Result
	n-Heptane (J)	1-6	2
	Sodium hydroxide 40% (K)	1-6	6
	Formaldehyde 37% (T)	1-6	4
 VIRUS	Testing parameter	Performance level	Result
	Air-leakage-test	-	Passed
	Water-leakage-test	-	Passed

Dimensions	Size	Values
Length (mm)	all sizes	min. 240
Width of palm (mm)	XS	76 ± 3
	S	84 ± 3
	M	94 ± 3
	L	105 ± 3
	XL	113 ± 3

Material properties	Standard before ageing	Standard after ageing
Elongation at break (%)	min. 500 (Guideline: min. 500-600)	min. 400 (Guideline: min. 400-550)
Tensile strength (MPa)	min. 14 (Guideline: min. 14-18)	min. 14 (Guideline: min. 14-18)

Storage

The products must be stored appropriately, this means in cartons in cool, dry rooms. External influences such as moisture, temperatures, light, as well as natural material changes during a period could implicate change in the properties.

Durability

See overpack